	Туре	L#	Hits	Search Text	DBs	Time Stamp	Error Definition
1	BRS	L3	1081	((natural\$ same language\$)) and search\$ and (database\$ (data adj base\$))	USPAT	2002/02/04 11:51	Truncation Overflow. Return string from Server is: 5'0'0'NAT
2	BRS	L4	481	3 and (categor\$5 or index\$4 or classificat\$4) and attribut\$5	USPAT	2002/02/04 11:52	
3	BRS	L5	304	4 and (stor\$5 same object\$1)	USPAT	2002/02/04 11:54	
4	BRS	L6	114	5 and agent\$	USPAT		Truncation Overflow. Return string from Server is: 5'0'0'AGE
5	BRS	L7	21	5 and (agent\$ same categor\$5)	USPAT		Truncation Overflow. Return string from Server is: 5'0'0'AGE

1	Ė
•	

	Document ID	Issue Date	Title	Current OR	Current XRef	Inventor
l	US 6332154 B1	20011218	Method and apparatus for providing media-independent self-help modules within a multimedia communication-center	709/204	370/352 ; 379/88.04 ; 709/206 ; 709/227	Beck, Christopher Clemmett Macleod , et al.
2	US 6292830 B1	20010918	System for optimizing interaction among agents acting on multiple levels	709/224		Taylor, Matt , et al.
3	US 6263335 B1	20010717	Information extraction system and method using concept-relation-concept (CRC) triples.	707/5		Paik, Woojin , et al.
4	US 6253193 B1	20010626	Systems and methods for the secure transaction management and electronic rights, protection.	705/57	705/52	Ginter, Karl L. , et al.
5	US 6237786 B1	20010529	Systems and methods for secure transaction	213/153	380/203 ; 705/51 ; 705/58	Ginter, Karl L. , et al.
6	US 6170011 B1	20010102	Method and apparatus for determining and initiating interaction directionality within a multimedia	709/224	379/265.01 ; 705/10 ; 705/8 ; 705/9 ; 709/223	Macleod Beck, Christopher Clemmett , et al.
7	US 6167395 A	20001226	Method and apparatus for creating specialized multimedia threads in a	707/3		Beck, Christopher Clemmett Macleod , et al.
8	US 6076088 A	20000613	Information extraction system and method using concept relation concept	707/5		Paik, Woojin , et al.
9	US 6029195 A	20000222	(CRC) triples. System for customized electronic identification of desirable objects	725/116	707/10 ; 725/93	Herz, Frederick S. M.
10	US 5982891 A	19991109	Systems and methods for secure transaction management and electronic	705/54	705/26 ; 713/167	Ginter, Karl L. , et al.
11	US 5949876 A	19990907	Systems and methods for secure transaction management and electronic	705/80	705/1 ; 705/39 , 705/54	Ginter, Karl L. , et al.
12	US 5917912 A	19990629	System and methods for secure transaction management and electronic	713/187	705/40 ; 709/312 ; 713/164	Ginter, Karl L. , et al.
13	US 5915019 A	19990622	ights protection. Systems and methods for secure transaction management and electronic	705/54	705/26 ; 705/400 ; 713/200	Ginter, Karl L. , et al.
14	US 5910987 A	19990608	Systems and methods for secure transaction management and electronic	705/52	705/30	Ginter, Karl L. , et al.
15	US 5895464 A	19990420		707/3	707/4 ; 707/5	Bhandarı, Archna , et al
16	US 5892900 A	19990406	Systems and methods for secure transaction management and electronic	713/200	713/201	Ginter, Karl L. , et al.
17	US 5835087 A	19981110	System for generation of object profiles for a system for customized electronic identification of desirable object	345/810 s	725/14 , 725/35 ; 725/46	Herz, Frederick S M , et al.
18	US 5754939 A	19980519	System for generation of user profiles for a system for customized electronic identification of desirable object	455/3.04	707/501.1 ; 709/219 ; 725/34	Herz, Frederick S. M. , et al.
19	US 5754938 A	19980519	Pseudonymous server for system for customized electronic identification of desirable objects	725/116	705/74 707/6 707/9 709/219 713/155 725/1 725/129 725/25	Herz, Frederick S. M. , et al.
20	US 5696916 A	19971209	Information storage and retrieval system and display method therefor	345/853		Yamazaki, Naoko , et al.
21	US 4914590 A	19900403	Natural language understanding system	704/8		Loatman, Robert B. , et al.

02/04/2002. EAST Version: 1.02.0008



> about : > feedback : > home : **US Patent & Trademark**

Search Results

Search Results for: [filter*<AND>((structur*<AND>((stor* and object*<AND>((attribut* and agent* <AND>((database* and natural* and language* and search* and categor*))))))) Found 68 of 358,960 searched.

Search within Results

Sort by:

Kak, G

> Advanced Search : > Search Help/Tips

Publication Date

Score

Binder

Results 1 - 20 of 68

short listing

Groupware: some issues and experiences

100%

Clarence A. Ellis , Simon J. Gibbs , Gail Rein Communications of the ACM January 1991 Volume 34 Issue 1

Presentation

100%

Proceedings of the 1980 workshop on Data abstraction, databases and conceptual modeling June 1980

Presentation is intended to encompass notations and languages for expressing models. This session will focus on the linguistic and notational choices made in particular approaches. Emphasis will be placed on common ideas. For example, there have been some assertions from proponents of the predicate calculus that it is a notation that is capable of expressing essentially all the interesting and important concepts that are encountered in other notations. Emphasis will also be placed on why th ...

Behaviour

100%



Proceedings of the 1980 workshop on Data abstraction, databases and conceptual modeling June 1980

In this session on behaviour I would like to raise, at least the following issues: • What is the distinction between data and process? • How are process and data related? • How is behaviour, or system dynamics, modelled and specified? • What is the impact of behavioural specifications on system evolvability? Rick Cattell, Peter Buneman and I will start by commenting on these issues with respect to database, AI, progr ...

OfficeTalk-D

100%

Clarence A. Ellis , Marc Bernal

Proceedings of the SIGOA conference on Office information systems June 1982

WHAT: Herein is described an experimental Office Information System designed and built at the Xerox Palo Alto Research Center to allow multi-computer experiments in distribution and sharing of control within an office environment. WHY: Current office systems go a long way toward aiding the individual user to transact his/her personal office work. Future office information systems need to aid tightly coupled communities of users. Thus, this investigation into communal computing sy ...

The family of concurrent logic programming languages

100%

4 Ehud Shapiro

ACM Computing Surveys (CSUR) September 1989 Volume 21 Issue 3

Concurrent logic languages are high-level programming languages for parallel and distributed systems that offer a wide range of both known and novel concurrent programming techniques. Being logic programming languages, they preserve many advantages of the abstract logic programming model, including the logical reading of programs and computations, the convenience of representing data structures with logical terms and manipulating them using unification, and the amenability to metaprogrammin ...

Conception, evolution, and application of functional |相 programming languages

100%

Paul Hudak

ACM Computing Surveys (CSUR) September 1989 Volume 21 Issue 3

The foundations of functional programming languages are examined from both historical and technical perspectives. Their evolution is traced through several critical periods: early work on lambda calculus and combinatory calculus, Lisp, Iswim, FP, ML, and modern functional languages such as Miranda¹ and Haskell. The fundamental premises on which the functional programming methodology stands are critically analyzed with respect to philosophical, theoretical, and pragmatic concerns. ...

7 A data model for flexible hypertext database systems
Frank WM. Tompa

100%

ACM Transactions on Information Systems (TOIS) January 1989 Volume 7 Issue 1

Hypertext and other page-oriented databases cannot be schematized in the same manner as record-oriented databases. As a result, most hypertext databases implicitly employ a data model based on a simple, unrestricted graph. This paper presents a hypergraph model for maintaining page-oriented databases in such a way that some of the functionality traditionally provided by database schemes can be available to hypertext databases. In particular, the model formalizes identification of commonalit ...

8 High level knowledge sources in usable speech recognition

100%

ৰী systems

S. L. Young , A. G. Hauptmann , W. H. Ward , E. T. Smith , P.

Communications of the ACM February 1989

Volume 32 Issue 2

The authors detail an integrated system which combines natural language processing with speech understanding in the context of a problem solving dialogue. The MINDS system uses a variety of pragmatic knowledge sources to dynamically generate expectations of what a user is likely to say.

9 The state of the art in automating usability evaluation of user

100%

♠ interfaces

Melody Y. Ivory , Marti A. Hearst ACM Computing Surveys (CSUR) December 2001 Volume 33 Issue 4

Usability evaluation is an increasingly important part of the user interface design process. However, usability evaluation can be expensive in terms of time and human resources, and

automation is therefore a promising way to augment existing approaches. This article presents an extensive survey of usability evaluation methods, organized according to a new taxonomy that emphasizes the role of automation. The survey analyzes existing techniques, identifies which aspects of usability evaluation aut ...

10 Mining e-commerce data

100%

★ Ron Kohavi

Proceedings of the seventh conference on Proceedings of the seventh ACM SIGKDD international conference on knowledge discovery and data mining August 2001

Organizations conducting Electronic Commerce (e-commerce) can greatly benefit from the insight that data mining of transactional and clickstream data provides. Such insight helps not only to improve the electronic channel (e.g., a web site), but it is also a learning vehicle for the bigger organization conducting business at brick-and-mortar stores. The e-commerce site serves as an early alert system for emerging patterns and a laboratory for experimentation. For successful data mining, several ...

11 The profile naming service

100%

A Larry L. Peterson

ACM Transactions on Computer Systems (TOCS) November 1988 Volume 6 Issue 4

Profile is a descriptive naming service used to identify users and organizations. This paper presents a structural overview of Profile's three major components: a confederation of attribute-based name servers, a name space abstraction that unifies the name servers, and a user interface that integrates the name space with existing naming systems. Each name server is an independent authority that allows clients to describe users and organizations with a multi ...

12 Computing in higher education: the Athena experience

Edward Balkovich, Steven Lerman, Richard P. Parmelee Communications of the ACM November 1985 Volume 28 Issue 11

100%

Project Athena at MIT is an experiment to explore the potential uses of advanced computer technology in the university curriculum. About 60 different educational development projects, spanning virtually all of MIT's academic departments,

are already in progress.

13 A prototype electronic encyclopedia

100%

Stephen A. Weyer , Alan H. Borning

ACM Transactions on Information Systems (TOIS) January 1985 Volume 3 Issue 1

We describe a prototype electronic encyclopedia implemented on a powerful personal computer, in which user interface, media presentation, and knowledge representation techniques are applied to improving access to a knowledge resource. In itself, an electronic encyclopedia is an important information resource, but this work also illustrates the issues and approaches for many types of electronic information retrieval environments. In the prototype we make dynamic use of the structure and sema

14 Computing curricula 2001

100%

Journal of Educational Resources in Computing (JERIC) September 2001

15 Probabilistic temporal databases, I

100%

Alex Dekhtyar, Robert Ross, V. S. Subrahmanian ACM Transactions on Database Systems (TODS) March 2001 Volume 26 Issue 1

Dyreson and Snodgrass have drawn attention to the fact that, in many temporal database applications, there is often uncertainty about the start time of events, the end time of events, and the duration of events. When the granularity of time is small (e.g., milliseconds), a statement such as " Packet p was shipped sometime during the first 5 days of January, 1998" leads to a massive amount of uncertainty $(5\times24\times60\times60\times1000)$ possibilities. A ...

16 BEAT 100%

Justine Cassell, Hannes Högni Vilhjálmsson, Timothy Bickmore Proceedings of the 2001 conference on Computer Graphics August 2001

The Behavior Expression Animation Toolkit (BEAT) allows animators to input typed text that they wish to be spoken by an animated human figure, and to obtain as output appropriate and synchronized nonverbal behaviors and synthesized speech in a form that can be sent to a number of different animation systems. The nonverbal behaviors are assigned on the basis of

actual linguistic and contextual analysis of the typed text, relying on rules derived from extensive research into human conversatio ...

17 Personalized spiders for web search and analysis

100%

Michael Chau , Daniel Zeng , Hinchun Chen
Proceedings of the first ACM/IEEE-CS joint conference on Digital libraries

Searching for useful information on the World Wide Web has become incr easingly difficult. While Internet search engines have been helping people to search on the web, low recall rate and outdated indexes have become more and more problematic as the web grows. In addition, search tools usually present to the user only a list of search results, failing to provide further personalized analysis which could help users identify useful information and comprehend these results. To alleviate these ...

18 Conference review: Semantic Web Workshop:

100%

Panos Constantpoulos , Vassilis Christophides , Dimitris Plexousakis intelligence June 2001
Volume 12 Issue 2

19 A general, yet useful theory of information systems

100%

A Steven Alter

Communications of the AIS March 1999

20 Annotea

100%

José Kahan , Marja-Ritta Koivunen
The tenth international World Wide Web conference on World Wide
Web April 2001

Results 1 - 20 of 68

short listing

Prev Nex

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2001 ACM, Inc.



> home : > about : > feedback : > logout US Patent & Trademark

Search Results

Search Results for: [filter*<AND>((structur*<AND>((stor* and object*<AND>((attribut* and agent* <AND>((database* and natural* and language* and search* and categor*))))))))]
Found 68 of 358,960 searched.

Search within Results

> Advanced Search > Search Help/Tips

Sort by: Title Publication Publication Date Score Binder

Results 21 - 40 of 68 short listing

21 Extracting usability information from user interface events

100%

David M. Hilbert , David F. Redmiles
ACM Computing Surveys (CSUR) December 2000
Volume 32 Issue 4

Modern window-based user interface systems generate user interface events as natural products of their normal operation. Because such events can be automatically captured and because they indicate user behavior with respect to an application's user interface, they have long been regarded as a potentially fruitful source of information regarding application usage and usability. However, because user interface events are typically voluminos and rich in detail, automated support is generally ...

22 Process migration

100%

Dejan S. Miloji?i? , Fred Douglis , Yves Paindaveine , Richard Wheeler , Songnian Zhou ACM Computing Surveys (CSUR) September 2000 Volume 32 Issue 3

Process migration is the act of transferring a process between two machines. It enables dynamic load distribution, fault resilience, eased system administration, and data access locality. Despite these goals and ongoing research efforts, migration has not achieved widespread use. With the increasing deployment of distributed systems in general, and distributed operating systems in particular, process migration is again receiving more attention in both research and product development. As hi ...

23 The Satchel system architecture

100%

Mike Flynn, David Pendlebury, Chris Jones, Marge Eldridge, Mik Lamming

Mobile Networks and Applications December 2000 Volume 5 Issue 4

Mobile professionals require access to documents and document‐ related services, such as printing, wherever they may be. They may also wish to give documents to colleagues electronically, as easily as with paper, face‐ to‐ face, and with similar security characteristics. The Satchel system provides such capabilities in the form of a mobile browser, implemented on a device that professional people would be likely to carry anyway, such as a pager or mobile phone. Printing may be per ...

24 SCMP.com

100%

Ali Farhoomand , Eva Kwan
Proceedings of the twenty first international conference on
Information systems December 2000

25 Information retrieval on the web

100%

Mei Kobayashi , Koichi Takeda ACM Computing Surveys (CSUR) June 2000 Volume 32 Issue 2

> In this paper we review studies of the growth of the Internet and technologies that are useful for information search and retrieval on the Web. We present data on the Internet from several different sources, e.g., current as well as projected

number of users, hosts, and Web sites. Although numerical figures vary, overall trends cited by the sources are consistent and point to exponential growth in the past and in the coming decade. Hence it is not surprising that about 85% of Internet user ...

26 Pilot

100%

David D. Redell , Yogen K. Dalal , Thomas R. Horsley , Hugh C. Lauer , William C. Lynch , Paul R. McJones , Hal G. Murray , Stephen C. Purcell Communications of the ACM February 1980 Volume 23 Issue 2

27 Relating sentences and semantic networks with procedural

100%

Robert F. Simmons , Daniel Chester
Communications of the ACM August 1982
Volume 25 Issue 8

28 Beneath the surface of organizational processes

100%

Gary Katzenstein , F. Javier Lerch
ACM Transactions on Information Systems (TOIS) October 2000
Volume 18 Issue 4

This paper raises the question, " What is an effective representation framework for organizational process design? " By combining our knowledge of existing process models with data from a field study, the paper develops criteria for an effective process representation. Using these criteria and the case study, the paper integrates the process redesign and information system literatures to develop a representation framework that captures a process' social context. The paper argues t ...

29 Program Transformation Systems

100%

H. Partsch , R. Steinbrüggen
ACM Computing Surveys (CSUR) September 1983
Volume 15 Issue 3

30 Formal Models for Computer Security

100%

Carl E. Landwehr
ACM Computing Surveys (CSUR) September 1981
Volume 13 Issue 3

31 Social Analyses of Computing: Theoretical Perspectives in 100% Recent Empirical Research Rob Kling

ACM Computing Surveys (CSUR) January 1980 Volume 12 Issue 1

32 Regulating service access and information release on the Web 100%

Piero Bonatti , Pierangela Samarati
Proceedings of the 7th ACM conference on Computer and communications security November 2000

33 Chimera 100%

Kenneth M. Anderson , Richard N. Taylor , E. James Whitehead ACM Transactions on Information Systems (TOIS) July 2000 Volume 18 Issue 3

Emerging software development environments are characterized by heterogeneity: they are composed of diverse object stores, user interfaces, and tools. This paper presents an approach for providing hypermedia services in this heterogeneous setting. Central notions of the approach include the following: anchors are established with respect to interactive views of objects, rather than the objects themselves; composable, n-ary links can be established between a ...

34 Safety checking of machine code

100%

Zhichen Xu , Barton P. Miller , Thomas Reps ACM SIGPLAN Notices , Proceedings of the ACM SIGPLAN '00 conference on Programming language design and implementation May 2000

Volume 35 Issue 5

We show how to determine statically whether it is safe for untrusted machine code to be loaded into a trusted host system. Our safety-checking technique operates directly on the untrusted machine-code program, requiring only that the initial inputs to the untrusted program be annotated with typestate information and linear constraints. This approach opens up the possibility of being able to certify code produced by any compiler from any source language, which gives the code prod

35 High performance data mining (tutorial PM-3)

100%



36 Architectures to make simple visualisations using simple

100%

systems

Alan Dix , Russell Beale , Andy Wood Proceedings of the Working Conference on Advanced Visual Interfaces May 2000

In previous work, the first author argued for simple lightweight visualisations. These are surprisingly complex to produce due to the need for infrastructure to read files, etc. onCue, a desktop 'agent', aids the rapid production of such visualisations and their integration with desktop and Internet applications. Two examples are used dancing histograms for 2D tables and pieTrees for hierarchical numeric data. A major focus is the importance of architecture, both that of onCue itself and th ...

37 Tools and approaches for developing data-intensive Web

100%

applications

Piero Fraternali

ACM Computing Surveys (CSUR) September 1999

Volume 31 Issue 3

The exponential growth and capillar diffusion of the Web are nurturing a novel generation of applications, characterized by a direct business-to-customer relationship. The development of such applications is a hybrid between traditional IS development and Hypermedia authoring, and challenges the existing tools and approaches for software production. This paper investigates the current situation of Web development tools, both in the commercial and research fields, by identifying and characte ...

38 Augmenting recommender systems by embedding interfaces

100%

into practices

Antonietta Grasso , Michael Koch , Alessandro Rancati Proceedings of the international ACM SIGGROUP conference on Supporting group work November 1999

Automated collaborative filtering systems promote the creation of a meta-layer of information, which describes users' evaluations of the quality and relevance of information items like scientific papers, books, and movies. A rich meta-layer is required, in order to elaborate statistically good predictions of

the interest of the information items; the number of users' contributing to the feedback is a vital aspect for these systems to produce good prediction quality. The work presented here, ...

39 The architecture of static hypertexts

100%

ৰী Tim Oren

Proceeding of the ACM conference on Hypertext November 1987
This paper's purpose is to describe how the hypertext technique can make CD-ROM (and other static storage media) a more comfortable environment for human use. I begin by considering implementation issues for hypertext on CD-ROM and surveying currently available products. I suggest desirable goals for the use of hypertext on the static CD medium, and propose that their achievement will follow from a correct choice of conventions of use and construction of the hypertext database. Such ...

40 Incremental formalization with the hyper-object substrate

100%

Frank M. Shipman , Raymond J. McCall ACM Transactions on Information Systems (TOIS

ACM Transactions on Information Systems (TOIS) April 1999 Volume 17 Issue 2

Computers require formally represented information to perform computations that support users; yet users who have needed such support have often proved to be unable or unwilling to formalize it. To address this problem, this article introduces an approach called incremental formalization, in which, first, users express information informally and then the system aids them in formalizing it. Incremental formalization requires a system architecture the (1) integrates formal and informal repres ...

Results 21 - 40 of 68

short listing

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2001 ACM, Inc.



> home : > about : > feedback : > logout

US Patent & Trademark

Search Results

Search Results for: [filter*<AND>((structur*<AND>((stor* and object*<AND>((attribut* and agent* <AND>((database* and natural* and language* and search* and categor*))))))))))] Found 68 of 358,960 searched.

Search within Results

> Advanced Search > Search Help/Tips

Sort by: Title Publication Publication Date Score Binder

Results 41 - 60 of 68 short listing

Prev Nex Page 1 2 3 4 Page

41 Object-based visual programming languages

100%

Sergiu S. Simmel
ACM SIGPLAN OOPS Messenger , Addendum to the proceedings on
Object-oriented programming systems, languages, and applications
(Addendum) September 1991
Volume 3 Issue 4

42 Direct manipulation vs. interface agents

100%

Ben Shneiderman , Pattie Maes interactions November 1997 Volume 4 Issue 6

43 A multilevel approach to intelligent information filtering

100%

J. Mostafa, S. Mukhopadhyay, M. Palakal, W. Lam
ACM Transactions on Information Systems (TOIS) October 1997
Volume 15 Issue 4

In information-filtering environments, uncertainties associated with changing interests of the user and the dynamic document

stream must be handled efficiently. In this article, a filtering model is proposed that decomposes the overall task into subsystem functionalities and highlights the need for multiple adaptation techniques to cope with uncertainties. A filtering system, SIFTER, has been implemented based on the model, using established techniques in information retrieval and artificia ...

44 Building task-specific interfaces to high volume conversational 100% data

Loren G. Terveen, William C. Hill, Brian Amento, David McDonald, Josh Creter conference proceedings on Human factors in computing systems March 1997

45 Assessing process-centered software engineering environments 100%

Vincenzo Ambriola , Reidar Conradi , Alfonso Fuggetta
ACM Transactions on Software Engineering and Methodology
(TOSEM) July 1997
Volume 6 Issue 3

Process-centered software engineering environments (PSEEs) are the most recent generation of environments supporting software development activities. They exploit an representation of the process (called the process model that specifies how to carry out software development activities, the roles and tasks of software developers, and how to use and control software development tools. A process model is therefore a vehicle to better understand and communicate the process. If ...

46 The World-Wide Web

100%

Oren Etzioni
Communications of the ACM November 1996
Volume 39 Issue 11

47 FOCUS 100%

Michael Spenke , Christian Beilken , Thomas Berlage
Proceedings of the ACM symposium on User interface software and technology November 1996

48 Semantic-based visualization for parallel object-oriented 100%

programming
Isabelle Attali , Denis Caromel , Sidi O. Ehmety , Sylvain Lippi

ACM SIGPLAN Notices , Proceedings of the eleventh annual conference on Object-oriented programming systems, languages, and applications October 1996 Volume 31 Issue 10

49 Natural-language retrieval of images based on descriptive captions

100%

Eugene J. Guglielmo , Neil C. Rowe ACM Transactions on Information Systems (TOIS) July 1996 Volume 14 Issue 3

We describe a prototype intelligent information retrieval system that uses natural-language understanding to efficiently locate captioned data. Multimedia data generally require captions to explain their features and significance. Such descriptive captions often rely on long nominal compounds (strings of consecutive nouns) which create problems of disambiguating word sence. In our system, captions and user queries are parsed and interpreted to produce a logical form using a detailed theory ...

50 Personalized information structures II

100%

Scott R. Tilley, Walter M. Lamia
Proceedings of the 13th annual conference on Emerging from chaos
: solutions for the growing complexity of our jobs February 1996

51 Electronic markets and electronic hierarchies

100%

Thomas W. Malone , Joanne Yates , Robert I. Benjamin Communications of the ACM June 1987 Volume 30 Issue 6

By reducing the costs of coordination, information technology will lead to an overall shift toward proportionately more use of markets—rather than hierarchies—to coordinate economic activity.

52 Motion recovery for video content classification

100%

Nevenka Dimitrova , Forouzan Golshani
ACM Transactions on Information Systems (TOIS) October 1995
Volume 13 Issue 4

Like other types of digital information, video sequences must be classified based on the semantics of their contents. A more-precise and completer extraction of semantic information will result in a more-effective classification. The most-discernible difference between still images and moving

pictures stems from movements and variations. Thus, to go from the realm of still-image repositories to video databases, we must be able to deal with motion. Particularly, we need the ability to classi ...

53 Knowledge-based document retrieval in office environments
Augusto Celentano, Maria Grazia Fugini, Silvano Pozzi
ACM Transactions on Information Systems (TOIS) July 1995
Volume 13 Issue 3

100%

In the office environment, the retrieval of documents is performed using the concepts contained in the documents, information about the procedural context where the documents are used, and information about the regulations and laws that discipline the life of documents within a given application domain. To fulfill the requirements of such a sophisticated retrieval, we propose a document retrieval model and system based on the representation of knowledge describing the semantic contents of d ...

54 HyperActive: extending an open hypermedia architecture to 100% support agency

J. Alfredo Sánchez , John J. Leggett , John L. Schnase ACM Transactions on Computer-Human Interaction (TOCHI) December 1994

Volume 1 Issue 4

Agency and hypermedia have both been suggested as powerful means to cope with future information management and human-computer interaction requirements. However, research projects have included interface agents only marginally in the context of hypermedia systems. This article proposes a set of criteria for characterizing interface agents and offers a perspective view of ongoing research in the field using those criteria as a framework. The need to provide a supporting infrastructure that f ...

55 Using aggregation and dynamic queries for exploring large data 100% sets

Jade Goldstein, Steven F. Roth Conference proceedings on Human factors in computing systems: "celebrating interdependence" April 1994

56 Using semantic values to facilitate interoperability among

100%

heterogeneous information systems
Edward Sciore, Michael Siegel, Arnon Rosenthal
ACM Transactions on Database Systems (TODS) June 1994
Volume 19 Issue 2

Large organizations need to exchange information among many separately developed systems. In order for this exchange to be useful, the individual systems must agree on the meaning of their exchanged data. That is, the organization must ensure semantic interoperability. This paper provides a theory of semantic values as a unit of exchange that facilitates semantic interoperability between heterogeneous information systems. We show how semantic values can ei ...

57 DOCASE 100%

Max Mühlhäuser , Wolfgang Gerteis , Lutz Heuser Communications of the ACM September 1993 Volume 36 Issue 9

58 Noncommand user interfaces 100%

Jakob Nielsen
Communications of the ACM April 1993
Volume 36 Issue 4

59 The envoy framework 100%

Murugappan Palaniappan , Nicole Yankelovich , George Fitzmaurice , Anne Loomis , Bernard Haan , James Coombs , Norman Meyrowitz ACM Transactions on Information Systems (TOIS) July 1992 Volume 10 Issue 3

The Envoy Framework addresses a need for computer-based assistants or agents that operate in conjunction with users' existing applications, helping them perform tedious, repetitive, or time-consuming tasks more easily and efficiently. Envoys carry out missions for users by invoking envoy-aware applications called operatives and inform users of mission results via envoy-aware applications called informers. The distributed, open architecture developed for Envoys is derived from an analysis of ...

60 A high-level and flexible framework for implementing multiuser 100%

user interfaces
Prasun Dewan , Rajiv Choudhary
ACM Transactions on Information Systems (TOIS) October 1992

Volume 10 Issue 4

We have developed a high-level and flexible framework for supporting the construction of multiuser interfaces. The framework is based on a generalized editing interaction model, which allows users to view programs as active data that can be concurrently edited by multiple users. It consists of several novel components including a refinement of both the Seeheim UIMS architecture and the distributed graphics architecture that explicitly addresses multiuser interaction; the abstractions of sha ...



The ACM Portal is published by the Association for Computing Machinery. Copyright $\mbox{@ 2001}$ ACM, Inc.

19/ 424, CB)

EEE HOME | SEARCH LEEE | SHOP | WEB ACCOUNT | CONTACT LEEE

		XPIONS/Services Standards Conferences Careers/Jobs XPIONE THE RELEASE 1.3
	Help FAQ Terms	Quick Links × Si
	Welcome to IEEE Xplore* - Home - Log-out Tables of Contents - Journals & Magazines - Conference Proceedings	Your search matched 50 of 744282 documents. Results are shown 25 to a page, sorted by publication year in descending order. You may refine your search by editing the current search expression or entering a new one the to Then click Search Again. database* and natural* and language* and search* and (categor* or index*) Search Again Results: Journal or Magazine = JNL Conference = CNF Standard = STD
	Search Search By Author Basic Advanced	1 Advances in automatic meeting record creation and access Waibel, A.; Bett, M.; Metze, F.; Ries, K.; Schaaf, T.; Schultz, T.; Soltau, H.; F Zechner, K. Acoustics, Speech, and Signal Processing, 2001. Proceedings. 2001 IEEE InternationalConference on , Volume: 1 , 2001 Page(s): 597 -600 vol.1
\	Momber Services Or Join IEEE Or Establish IEEE Web Account	[Abstract] [PDF Full-Text (388 KB)] CNF
	Print Format	2 Constructing Web-based legacy index card archives-architectural desissues and initial data acquisition Downton, A.C.; Tams, A.C.; Wells, G.J.; Holmes, A.C.; Lucas, S.M.; Beccalon, Scoble, M.J.; Robinson, G.S. Document Analysis and Recognition, 2001. Proceedings. Sixth International Con, 2001 Page(s): 854-858
		[Abstract] [PDF Full-Text (408 KB)] CNF
		An expert system acquires and generalises experiences Muhlenfeld, E. Knowledge-Based Intelligent Engineering Systems and Allied Technologies, 2 Proceedings. Fourth International Conference on , Volume: 1 , 2000 Page(s): 137 -140 vol.1

[Abstract] [PDF Full-Text (324 KB)] CNF

4 Integrating a query language for structured and semi-structured da techniques

Heuer, A.; Priebe, D.

Database and Expert Systems Applications, 2000. Proceedings. 11th Internat

Workshop on , 2000 Page(s): 703 -707

[Abstract] [PDF Full-Text (444 KB)] CNF

5 Query expansion for imperfect speech: applications in distributed le Srinivasan, S.; Ponceleon, D.; Petkovic, D.; Viswanathan, M. Content-based Access of Image and Video Libraries, 2000. Proceedings. IEEE on , 2000

Page(s): 50 -54

[Abstract] [PDF Full-Text (92 KB)] CNF

6 Knowledge management in the professional services: lessons from 1 linguistics

Morris, R.W.

Engineering Management Society, 2000. Proceedings of the 2000 IEEE , 2000

Page(s): 637 -641

[Abstract] [PDF Full-Text (416 KB)] CNF

7 Uncertainty handling in the data mining process with fuzzy logic Vazirgiannis, M.; Halkidi, M.

Fuzzy Systems, 2000. FUZZ IEEE 2000. The Ninth IEEE International Confere

Volume: 1, 2000

Page(s): 393 -398 vol.1

[Abstract] [PDF Full-Text (660 KB)] CNF

8 Korean folk song retrieval using rhythm pattern classification
Chul Yong Yang; Jong Tak Shin; Jin Wook Kim; Hang Joon Kim
Signal Processing and Its Applications, 1999. ISSPA '99. Proceedings of the F
International Symposium on , Volume: 1 , 1999

Page(s): 123 -126 vol.1

[Abstract] [PDF Full-Text (240 KB)] CNF

9 Content based image retrieval using a neuro-fuzzy technique

Kulkami, S.; Verma, B.; Sharma, P.; Selvaraj, H.

Neural Networks, 1999. IJCNN '99. International Joint Conference on , Volum 1999

Page(s): 4304 -4308 vol.6

[Abstract] [PDF Full-Text (536 KB)] CNF

10 An enterprise intelligence system integrating WWW and intranet rolling. Lee, E.K.; Noah, W.

Research Issues on Data Engineering: Information Technology for Virtual Ent 1999. RIDE-VE '99. Proceedings., Ninth International Workshop on , 1999 Page(s): 28 -35

[Abstract] [PDF Full-Text (1160 KB)] CNF

11 ASHRAM: active summarization and Markup

Neff, M.S.; Cooper, J.W.

Systems Sciences, 1999. HICSS-32. Proceedings of the 32nd Annual Hawaii International Conference on , 1999

Page(s): 9 pp.

[Abstract] [PDF Full-Text (756 KB)] CNF

12 Linguistic summaries of sales data at a computer retailer via fuzzy a genetic algorithm

Kacprzyk, J.; Strykowski, P.

Evolutionary Computation, 1999. CEC 99. Proceedings of the 1999 Congress -943 Vol. 2

[Abstract] [PDF Full-Text (1060 KB)] CNF

13 Acoustic and syntactical modeling in the ATROS system

Llorens, D.; Casacuberta, F.; Segarra, E.; Sanchez, J.A.; Aibar, P.; Castro, M. Acoustics, Speech, and Signal Processing, 1999. Proceedings., 1999 IEEE Interconference on, Volume: 2, 1999

Page(s): 641 -644 vol.2

[Abstract] [PDF Full-Text (348 KB)] CNF

14 Improving the suitability of imperfect transcriptions for informatio retrieval from spoken documents

Siegler, M.; Withrock, M.

Acoustics, Speech, and Signal Processing, 1999. Proceedings., 1999 IEEE Into

Conference on , Volume: 1 , 1999

Page(s): 505 -508 vol.1

[Abstract] [PDF Full-Text (284 KB)] CNF

15 Lessons learned from building a terabyte digital video library

Wactlar, H.D.; Christel, M.G.; Yihong Gong; Hauptmann, A.G.

Computer, Volume: 32 Issue: 2, Feb. 1999

Page(s): 66 -73

[Abstract] [PDF Full-Text (888 KB)] JNL

16 Practical issues in the application of speech technology to network customer service applications

Whittaker, S.; Scahill, F.; Attwater, D.; Geenhow, H.

Interactive Voice Technology for Telecommunications Applications, 1998. IVT

Proceedings. 1998 IEEE 4th Workshop, 1998

Page(s): 185 -190

[Abstract] [PDF Full-Text (512 KB)] CNF

17 Indexing flowers by color names using domain knowledge-driven segmentation

Das, M.; Manmatha, R.; Riseman, E.M.

Applications of Computer Vision, 1998. WACV '98. Proceedings., Fourth IEEE

on , 1998

Page(s): 94 -99

[Abstract] [PDF Full-Text (932 KB)] CNF

18 Experiments in automatic meeting transcription using JRTK

Hua Yu; Clark, C.; Malkin, R.; Waibel, A.

Acoustics, Speech and Signal Processing, 1998. Proceedings of the 1998 IEEE

International Conference on , Volume: 2 , 1998

Page(s): 921 -924 vol.2

[Abstract] [PDF Full-Text (464 KB)] CNF

19 Natural language query filtration in the Conceptual Query Language

Owei, V.; Hyeun-Suk Rhee; Navathe, S.

System Sciences, 1997, Proceedings of the Thirtieth Hwaii International Confi

Volume: 3, 1997

Page(s): 539 -549 vol.3

[Abstract] [PDF Full-Text (1064 KB)] CNF

20 Experiments in using agent-based retrieval from distributed and heterogeneous databases

Das, B.; Kocur, D.

Knowledge and Data Engineering Exchange Workshop, 1997. Proceedings, 1 Page(s): 27 -35

[Abstract] [PDF Full-Text (724 KB)] CNF

21 More versatile scientific documents

Fateman, R.J.

Document Analysis and Recognition, 1997., Proceedings of the Fourth Interna

Conference on , Volume: 2 , 1997 Page(s): 1107 -1110 vol.2

[Abstract] [PDF Full-Text (380 KB)] CNF

22 Improving parsing of spontaneous speech with the help of prosodi boundaries

Kompe, R.; Kiessling, A.; Niemann, H.; Noth, E.; Batliner, A.; Schachtt, S.; R Block, H.U.

Acoustics, Speech, and Signal Processing, 1997. ICASSP-97., 1997 IEEE Inte Conference on , Volume: 2 , 1997

Page(s): 811 -814 vol.2

[Abstract] [PDF Full-Text (480 KB)] CNF

23 Speaker identification based text to audio alignment for an audio r system

Roy, D.; Malamud, C.

Acoustics, Speech, and Signal Processing, 1997. ICASSP-97., 1997 IEEE Inte

Conference on , Volume: 2 , 1997

Page(s): 1099 -1102 vol.2

[Abstract] [PDF Full-Text (336 KB)] CNF

24 Adding full text indexing to the operating system

Peltonen, K.

Data Engineering, 1997. Proceedings. 13th International Conference on , 199

Page(s): 386 -390

[Abstract] [PDF Full-Text (472 KB)] CNF

25 Error-tolerant retrieval of trees

Oflazer, K.

Pattern Analysis and Machine Intelligence, IEEE Transactions on , Volume: 19

, Dec. 1997

Page(s): 1376 -1380

[Abstract] [PDF Full-Text (80 KB)] JNL

1 2 [Next]

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ | Terms | Back to Top

Copyright © 2001 IEEE - All rights reserved

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE

Membership Publica	tions/Services Standards Conferences Careers/Jobs
Help FAQ Terms Welcome to IEEE Xplore Home Log-out Tables of Contents Magazines Conference Proceedings Standards	Your search matched 50 of 744282 documents. Results are shown 25 to a page, sorted by publication year in descending order. You may refine your search by editing the current search expression or entering a new one the to Then click Search Again. database* and natural* and language* and search* and (categor* or index*) Search Again Results: Journal or Magazine = JNL Conference = CNF Standard = STD
Search - By Author - Basic - Advanced Member Services	Goddeau, D.; Meng, H.; Polifroni, J.; Seneff, S.; Busayapongchai, S. Spoken Language, 1996. ICSLP 96. Proceedings., Fourth International Confer Volume: 2, 1996 Page(s): 701 -704 vol.2 [Abstract] [PDF Full-Text (392 KB)] CNF
O→ Join IEEE O→ Establish IEEE Web Account □ Print Format	27 Estimation of language models for new spoken language application Issar, S. Spoken Language, 1996. ICSLP 96. Proceedings., Fourth International Confer Volume: 2, 1996 Page(s): 869 -872 vol.2
	[Abstract] [PDF Full-Text (344 KB)] CNF 28 WHEELS: a conversational system in the automobile classifieds dor Meng, H.; Busayapongchai, S.; Giass, J.; Goddeau, D.; Hethetingron, L.; Hur Pao, C.; Polifroni, J.; Seneff, S.; Zue, V. Spoken Language, 1996. ICSLP 96. Proceedings., Fourth International Confer Volume: 1, 1996 Page(s): 542 -545 vol.1
	[Abstract] [PDF Full-Text (384 KB)] CNF

29 A compact and fast structure for trie retrieval algorithms

Mochizuki, H.; Hayashi, Y.; Shishibori, M.; Aoe, J.-I.
Systems, Man and Cybernetics, 1996., IEEE International Conference on , Vol
1996

Page(s): 2221 -2226 vol.3

[Abstract] [PDF Full-Text (708 KB)] CNF

30 Consonant duration from an Arabic speech database

Rajouani, A.; Ouadou, M.; Nour, H.A.; Najim, M. Electrotechnical Conference, 1996. MELECON '96., 8th Mediterranean, Volum 1996

Page(s): 1104 -1107 vol.2

[Abstract] [PDF Full-Text (300 KB)] CNF

31 An efficient voice retrieval system for very-large-vocabulary Chine databases with a clustered language model

Sung-Chien Lin; Lee-Feng Chien; Keh-Jiann Chen; Lin-Shan Lee Acoustics, Speech, and Signal Processing, 1996. ICASSP-96. Conference Proc 1996 IEEE International Conference on , Volume: 1 , 1996 Page(s): 287 -290 vol. 1

[Abstract] [PDF Full-Text (412 KB)] CNF

32 A trie compaction algorithm for a large set of keys

Aoe, J.; Morimoto, K.; Shishibori, M.; Ki-Hong Park
Knowledge and Data Engineering, IEEE Transactions on , Volume: 8 Issue: 3
1996

Page(s): 476 -491

[Abstract] [PDF Full-Text (1364 KB)] JNL

33 Intelligent access to digital video: Informedia project

Wactlar, H.D.; Kanade, T.; Smith, M.A.; Stevens, S.M.

Computer, Volume: 29 Issue: 5, May 1996

Page(s): 46 -52

[Abstract] [PDF Full-Text (1244 KB)] JNL

34 A continuous speech recognition system using finite state network Viterbi beam search for the automatic interpretation

Nam-Yong Han; Hoi-Rin Kim; Kyu-Woong Hwang; Young-Mok Ahn; Joon-Hyu

Acoustics, Speech, and Signal Processing, 1995. ICASSP-95., 1995 Internation

Conference on , Volume: 1 , 1995

Page(s): 117 -120 vol.1

[Abstract] [PDF Full-Text (320 KB)] CNF

35 Efficient search using posterior phone probability estimates

Renals, S.; Hochberg, M.

Acoustics, Speech, and Signal Processing, 1995. ICASSP-95., 1995 Internatic

Conference on , Volume: 1 , 1995

Page(s): 596 -599 vol.1

[Abstract] [PDF Full-Text (408 KB)] CNF

36 Clustering: a technique for search space reduction in example-base machine translation

Cranias, L.; Papageorgiou, H.; Piperidis, S.

Systems, Man, and Cybernetics, 1994. Humans, Information and Technology.

IEEE International Conference on , Volume: 1 , 1994

Page(s): 1 -6 vol.1

[Abstract] [PDF Full-Text (548 KB)] CNF

37 Large vocabulary word recognition based on tree-trellis search

Jung-Kuei Chen; Soong, F.K.; Lin-Shan Lee

Acoustics, Speech, and Signal Processing, 1994. ICASSP-94., 1994 IEEE Inte

Conference on , Volume: ii , 1994

Page(s): II/137 -II/140 vol.2

[Abstract] [PDF Full-Text (324 KB)] CNF

38 Interactive speech and language systems for telecommunications applications at NYNEX

Leung, H.C.; Spitz, J.R.

Interactive Voice Technology for Telecommunications Applications, 1994., Sei

Workshop on , 1994

Page(s): 49 -54

[Abstract] [PDF Full-Text (380 KB)] CNF

39 A system for approximate tree matching

Tsong-Li Wang, J.; Kaizhong Zhang; Jeong, K.; Shasha, D.

Knowledge and Data Engineering, IEEE Transactions on , Volume: 6 Issue: 4

1994

Page(s): 559 -571

[Abstract] [PDF Full-Text (1052 KB)] JNL

40 On virtual partitioning of large dictionaries for contextual post-pro to improve character recognition

Hoch, R.; Kieninger, T.

Document Analysis and Recognition, 1993., Proceedings of the Second Intern Conference on , 1993

Page(s): 226 -231

[Abstract] [PDF Full-Text (552 KB)] CNF

41 Proceedings of 9th IEEE Conference on Artificial Intelligence for Applications

Artificial Intelligence for Applications, 1993. Proceedings., Ninth Conference of

[Abstract] [PDF Full-Text (364 KB)] CNF

42 Alternative communication software using database files

Cannon, T.W.

Computing Applications to Assist Persons with Disabilities, 1992., Proceeding: Johns Hopkins National Search for , 1992

Page(s): 55 - 56

[Abstract] [PDF Full-Text (144 KB)] CNF

43 Proceedings. Fourth International Conference on Tools with Artific Intelligence, TAI '92 (Cat. No. 92CH3203-7)

Tools with Artificial Intelligence, 1992. TAI '92, Proceedings., Fourth Internat Conference on , 1992

[Abstract] [PDF Full-Text (60 KB)] CNF

44 Data driven search organization for continuous speech recognition

Ney, H.; Mergel, D.; Noll, A.; Paeseler, A.

Signal Processing, IEEE Transactions on , Volume: 40 Issue: 2 , Feb. 1992

Page(s): 272 -281

[Abstract] [PDF Full-Text (848 KB)] JNL

45 Logic programming in a fragment of intuitionistic linear logic

Hodas, J.S.; Miller, D.

Logic in Computer Science, 1991. LICS '91., Proceedings of Sixth Annual IEEI Symposium on , 1991

Page(s): 32 -42

[Abstract] [PDF Full-Text (780 KB)] CNF

46 Unsupervised learning and the information retrieval problem

Scholtes, J.C.

Neural Networks, 1991. 1991 IEEE International Joint Conference on , 1991 Page(s): 95 -100 vol.1

[Abstract] [PDF Full-Text (376 KB)] CNF

47 An OODB with entity-based persistence

Gray, P.M.D.; Kemp, G.J.L.

Very Large Knowledge-Based Systems, IEE Colloquium on , 1990

Page(s): 4/1 -4/4

[Abstract] [PDF Full-Text (232 KB)] CNF

48 Speech understanding using a unification grammar

Chow, Y.-L.; Roukis, S.

Acoustics, Speech, and Signal Processing, 1989. ICASSP-89., 1989 Internation

Conference on , 1989

Page(s): 727 -730 vol.2

[Abstract] [PDF Full-Text (252 KB)] CNF

49 Continuous-speech recognition using a stochastic language model

Paeseler, A.; Ney, H.

Acoustics, Speech, and Signal Processing, 1989. ICASSP-89., 1989 Internation

Conference on , 1989

Page(s): 719 -722 vol.2

[Abstract] [PDF Full-Text (268 KB)] CNF

50 A computer architecture to support natural full text information rel

Smith, R.; Hooper, J.W.

Southeastcon '88., IEEE Conference Proceedings , 1988

Page(s): 197 -199

[Abstract] [PDF Full-Text (212 KB)] CNF

[Prev] 1 2

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ | Terms | Back to Top

Copyright © 2001 IEEE — All rights reserved